



Hardware | Inventory Pricelist

2022

SLIDING DOOR SYSTEM SUPRA & KLASSIK PULL BARS


*All Stock Items are in standard 600 grit (matte) stainless steel finish

Complete Set System Supra





Standard-Wall Mount
 (includes): M8 Cylinder head- screw
 ZK8.100.HD with wood thread and Ø 10 mm
 Fischer-Duo-Power hollow wall dowel,
 available in 80, 100 and 120 mm length.

Wall Mount Projection:



Door Preparation:



Item	Pieces	Item number	Unit Price
Supra wheel (each) - max. weight 298 Lbs. - Door Thickness min. (1 3/16")	(2)	NA.I.ST.1009.SU	\$363
Supra rail mounted stopper (each)	(2)	NA.I.ST.3009.SU-ST.3016.PR	\$144
Rail			
Rail Ø 1" rail (72") 6 FT - Requires (4) mounts		NA.I.ST.2000.6FT	\$646
Rail Ø 1" rail (78 3/8") STANDARD - Requires (4) mounts		NA.I.ST.2000.STD	\$680
Rail Ø 1" rail (96") 8 FT - Requires (4) mounts		NA.I.ST.2000.8FT	\$850
Rail Ø 1" rail (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector		NA.I.ST.2000.10F	\$1270
Wall mount for (11/16") 17.5 mm projection (1 15/16) dia. rosette incl. standard wall mounting material		NA.I.ST.2100.17.5	\$60
Wall mount for (7/8") 22.5 mm projection (1 15/16) dia. rosette incl. standard wall mounting material		NA.I.ST.2100.22.5	\$60
Wall mount for (1 1/4") 32.5 mm projection (1 15/16) dia. rosette incl. standard wall mounting material		NA.I.ST.2100.32.5	\$60
Floor guide for wood doors	(1)	NA.I.ST.4005	\$77

PULL HANDLES




Item	Item number	Unit Price
Klassik handle PAIR - Ø 1" (23 5/8" Length, 15 3/4" Fixing) Standard 600 grit (matte) stainless steel finish - Includes B1 For (3/8" - 1/2") Glass	NA.I.TG.1101.25. B1	\$401
Klassik handle PAIR - Ø 1" (23 5/8" Length, 15 3/4" Fixing) Standard 600 grit (matte) stainless steel finish - Includes B3 For (1 3/8" - 1 3/4") Wood	NA.I.TG.1101.25. B3	\$401
Klassik handle - Ø 1" (23 5/8" Length, 15 3/4" Fixing) Standard 600 grit (matte) stainless steel finish - Includes B5 For (1 3/8" - 1 3/4") Wood / (3/8" - 1/2") Glass	NA.I.TG.1101.25. B5	\$199

Handle is hollow with cap


Standard 600 grit (matte) stainless steel finish - Includes B1 or B3 + B5 or B6 For 1 3/8" - 1 3/4" Wood / 3/8" - 1/2" Glass

NA.I.T G.1101.25.GR5905 Klassik Handle PAIR GR.5905 Item - Ø 1" (27 9/16" Length, 22 13/16" Fixing) Price / pair: \$274



B 1


Included in Handle Price



Handle pair fastening for glass doors 10 mm (3/8") / 12.7 mm (1/2") thru drilling Ø 16 mm

B 3


Included in Handle Price



Handle pair fastening for wood doors 45 mm (1 3/4") thru drilling Ø 12 mm

B 5


Included in Handle Price



One side fastening for wood doors 45 mm (1 3/4") requires thru drilling Ø 12 mm


B 5

Included in Handle Price



One side fastening for glass doors 10 mm (3/8") / 12.7 mm (1/2") thru drilling Ø 12 mm

B 6



One-sided mounting on wooden doors

EP.9120

3M buffing pad

Price \$43




Buffing pad for removal of surface scratches & rust on standard 600 grit (matte) stainless steel finish - flexible or block version available

ATTENTION: Apply only in a smooth motion, in one direction

RAIL CONFIGURATIONS


ST.2000.STD

Rail Ø 1" rail (78 3/8") STANDARD - Requires (4) mounts




ST.2000.8FT

Rail Ø 1" rail (96") 8 FT - Requires (4) mounts




ST.2000.10FT

Rail Ø 1" rail (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector



ST.2000.6FT

Rail Ø 1" rail (72") 6FT - Requires (4) mounts




SLIDING SHOWER SYSTEM MIAMI & GR.5908 CUP PULL

*All Stock Items are in standard 600 grit (matte) stainless steel finish

MIAMI

DU.1012.MI



Up to 1/2" thickness & 143lb maximum weight


	Pieces		Brushed
Rail top + bottom	(1) 78 3/4"	DU.2000.20.R	\$320
Front-end mount for wall	(4)	ST.5035.MM	\$104
Clamp holder for rail	(2)	DU.2122	\$142
Clamp holder for rail Fixed	(3)	DU.2122.G	\$197
Wheel	(4)	DU.1012.MI	\$142
Stopper	(2)	DU.3012.MI	\$152
Shower floor guide 3/8"	(1)	DU.4010	\$94
Shower floor guide 1/2"	(1)	DU.4012	\$116
Front-end mount for glass	Optional	ST.5035.MM.G	\$176

CUP PULL HANDLE

GR.5908

For 3/8" - 1/2" glass thickness

Price/pair: G \$176





Rebel Ladder | Inventory Pricelist

2022

REBEL LADDER - INVENTORY PRICE LIST

Rebel Ladders are designed to use a 1" diameter rail!

SMALL- HOOK - 88"-106"



Minimum Weight
Approx. 28 lbs
(8) Rungs

Recommended
Approx. 41 lbs
(8) Steps

Set prices do not include rails or rail mounting

SL.6011.KL "Rung"



SL.6013.KL "Step"



SL.6061.K pivot base foot is adjustable up to 1"+/-

Item Description	Model Number	Unit Price
Rebel Ladder for height [88"-106"], includes ladder head for hook attachment and pivoting base foot SL.6061.K prepared to receive (8) steps/rungs in Satin (Matte) stainless steel finish	REBELSM.HOOK	\$2492
Rebel ladder Flat/Wide step 80mm [3 1/8"] in Satin (Matte) stainless steel finish - each	NA.I.SL.6013.KL	\$264
Rebel ladder step/rung - 20mm [13/16"] diameter in Satin (Matte) stainless steel finish - each	NA.I.SL.6011.KL	\$98
25mm (1") dia. rail in Satin (Matte) finish - 610 mm (24") 2 FT - Requires (2) mounts	NA.I.ST.2000.2FT	\$238
25mm (1") dia. rail in Satin (Matte) finish - 1219 mm (48") 4 FT - Requires (2) mounts	NA.I.ST.2000.4FT	\$442
25mm (1") dia. rail in Satin (Matte) finish - 1829 mm (72") 6 FT - Requires (4) mounts	NA.I.ST.2000.6FT	\$646
25mm (1") dia. rail in Satin (Matte) finish - 2438 mm (96") 8 FT - Requires (4) mounts	NA.I.ST.2000.8FT	\$850
25mm (1") dia. rail in Satin (Matte) finish - 3048 mm (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector	NA.I.ST.2000.10FT	\$1270
Wall mount for ST.2000 rail - 52.5mm (2 1/16") projection (wall to center rail) 50mm (1 15/16") dia. rosette in Satin (Matte) finish - each	NA.I.ST.2100.52.5	\$60

LARGE - HOOK - 98"-118"



Minimum Weight
Approx. 32 lbs
(9) Rungs

Recommended
Approx. 50 lbs
(9) Steps

Set prices do not include rails or rail mounting

SL.6011.KL "Rung"



SL.6013.KL "Step"



SL.6061.K pivot base foot is adjustable up to 1"+/-

Item Description	Model Number	Unit Price
Rebel Ladder for height [98"-118"], includes ladder head for hook attachment and pivoting base foot SL.6061.K prepared for (9) steps/rungs in Satin (Matte) stainless steel finish	REBELLG.HOOK	\$2877
Rebel ladder Flat/Wide step 80mm [3 1/8"] in Satin (Matte) stainless steel finish - each	NA.I.SL.6013.KL	\$264
Rebel ladder step/rung - 20mm [13/16"] diameter in Satin (Matte) stainless steel finish - each	NA.I.SL.6011.KL	\$98
25mm (1") dia. rail in Satin (Matte) finish - 610 mm (24") 2 FT - Requires (2) mounts	NA.I.ST.2000.2FT	\$238
25mm (1") dia. rail in Satin (Matte) finish - 1219 mm (48") 4 FT - Requires (2) mounts	NA.I.ST.2000.4FT	\$442
25mm (1") dia. rail in Satin (Matte) finish - 1829 mm (72") 6 FT - Requires (4)	NA.I.ST.2000.6FT	\$646
25mm (1") dia. rail in Satin (Matte) finish - 2438 mm (96") 8 FT - Requires (4)	NA.I.ST.2000.8FT	\$850
25mm (1") dia. rail in Satin (Matte) finish - 3048 mm (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector	NA.I.ST.2000.10FT	\$1270
Wall mount for ST.2000 rail - 52.5mm (2 1/16") projection (wall to center rail) 50mm (1 15/16") dia. rosette in Satin (Matte) finish - each	NA.I.ST.2100.52.5	\$60

SMALL- SLIDING - 88" - 106"



Minimum Weight
Approx. 28 lbs
(8) Rungs

Recommended
Approx. 41 lbs
(8) Steps

Set prices do not include rails or rail mounting



SL.6061.K pivot base foot is adjustable up to 1" +/-

Item Description	Model Number	Unit Price
Rebel Ladder for height [88"-106"], includes ladder head for wheel attachment and pivoting base foot SL.6061.K prepared to receive (8) steps/rungs in Satin (Matte) stainless steel finish	REBEL.SM.SLIDING	\$2645
Rebel ladder Flat/Wide step 80mm [3 1/8"] in Satin (Matte) stainless steel finish - each	NA.I.SL.6013.KL	\$264
Rebel ladder step/rung - 20mm [13/16"] diameter in Satin (Matte) stainless steel finish - each	NA.I.SL.6011.KL	\$98
25mm (1") dia. rail in Satin (Matte) finish - 1219 mm (48") 4 FT - Requires (2) mounts	NA.I.ST.2000.4FT	\$442
25mm (1") dia. rail in Satin (Matte) finish - 1829 mm (72") 6 FT - Requires (4)	NA.I.ST.2000.6FT	\$646
25mm (1") dia. rail in Satin (Matte) finish - 2438 mm (96") 8 FT - Requires (4)	NA.I.ST.2000.8FT	\$850
25mm (1") dia. rail in Satin (Matte) finish - 3048 mm (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector	NA.I.ST.2000.10FT	\$1270
Wall mount for ST.2000 rail - 32.5mm (1 1/4") projection (wall to center rail) 50mm (1 15/16") dia. rosette in Satin (Matte) finish - each	NA.I.ST.2100.32.5	\$60
Rail mounted stop for use on 25mm [1"] diameter rail ST.2000 in Satin (Matte) finish - each	NA.I.ST.3009.SU-ST.3016.PR	\$144

LARGE - SLIDING - 98"-118"



Minimum Weight
Approx. 32 lbs
(9) Rungs

Recommended
Approx. 50 lbs (9)
Steps

Set prices do not include rails or rail mounting




SL.6061.K pivot base foot is adjustable up to 1" +/-

Item Description	Model Number	Unit Price
Rebel Ladder for height [98" - 118"], includes ladder head for wheel attachment and pivoting base foot SL.6061.K prepared for (9) steps/rungs in Satin (Matte) stainless steel finish	REBEL.LG.SLIDING	\$3030
Rebel ladder Flat/Wide step 80mm [3 1/8"] in Satin (Matte) stainless steel finish - each	NA.I.SL.6013.KL	\$264
Rebel ladder step/rung - 20mm [13/16"] diameter in Satin (Matte) stainless steel finish - each	NA.I.SL.6011.KL	\$98
25mm (1") dia. rail in Satin (Matte) finish - 1219 mm (48") 4 FT - Requires (2) mounts	NA.I.ST.2000.4FT	\$442
25mm (1") dia. rail in Satin (Matte) finish - 1829 mm (72") 6 FT - Requires (4)	NA.I.ST.2000.6FT	\$646
25mm (1") dia. rail in Satin (Matte) finish - 2438 mm (96") 8 FT - Requires (4)	NA.I.ST.2000.8FT	\$850
25mm (1") dia. rail in Satin (Matte) finish - 3048 mm (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector	NA.I.ST.2000.10FT	\$1270
Wall mount for ST.2000 rail - 32.5mm (1 1/4") projection (wall to center rail) 50mm (1 15/16") dia. rosette in Satin (Matte) finish - each	NA.I.ST.2100.32.5	\$60
Rail mounted stop for use on 25mm [1"] diameter rail ST.2000 in Satin (Matte) finish - each	NA.I.ST.3009.SU-ST.3016.PR	\$144

INVENTORY RAILS


ST.2000

Solid Stainless Steel Rail Ø 25mm [1"]



For use with Duplex, Duplex S, Supra, Protec and Rebel Ladder models


Wall mount for ST.2000 rails



incl. Ø50mm (1 15/16") rosette

ST.2100

\$55




Projection: 32.5mm (1 1/4")
Bolt length: 100mm (3 15/16")
Sleeve length: 26mm (1")

Projection: 52.5mm (2 1/16")
Bolt length: 120mm (4 3/4")
Sleeve length: 46mm (1 13/16")

Projection = Center rail to finished wall surface


From 32.5mm (1 1/16") - 52.5mm (2 1/16")




Supplied mounting screw




Standard Wall mount screw (Includes): M8 cylinder head screw ZK8.100 HD with wood thread and Ø10mm fischer-Duo-Power hollow wall dowel, available in 80, 100, 120mm (3 1/8") (3 15/16") (4 3/4")




ST.2000.4FT 25mm (1") dia. rail in Satin (Matte) finish - 1219mm (48") - Requires (2) mounts




ST.2000.6FT 25mm (1") dia. rail in Satin (Matte) finish - 1829 mm (72") - Requires (4) mounts




ST.2000.8FT 25 mm dia. rail in Satin (Matte) finish - 2438 mm (96") 8 FT - Requires (4) mounts



ST.2000.10FT 25mm (1") dia. rail in Satin (Matte) finish - 3048 mm (120") 10 FT - Requires (6) mounts, includes (1) ST.2025 rail connector



ST.2000.2FT 25 mm dia. rail in Satin (Matte) finish - 610 mm (24") STANDARD - Requires (2) mounts



Prices

Please note that all prices are U.S. dollars and F.O.B. Dania Beach, Florida. Shipping and crating charges are additional. Prices are subject to change without notice.

MWE NA Price Lists represent the Manufacturer Suggested Retail Price (MSRP) and requires all Authorized Dealer Partners to reflect MSRP on all purchase documents. Dealer is responsible for discount strategies from MSRP only.

Purchase Orders shipped within the state of Florida may be subject to Florida State sales tax.

Acknowledgements

When a PO is received, MWE, NA will provide an invoice that will detail all order specifications.

Payment is required prior to shipment of product. Dealer must acknowledge all details are correct and products are appropriate for the end-user's application.

Tracking Information

Shipments sent via Fed-Ex will include tracking information to the email address on the order. You will usually get the tracking information 12 -24 hours after the item has shipped. Please do not call the same day the order is placed looking for a tracking number. If you do not receive your tracking email in that time frame, please call 954-982-6595.

Delivery date specifications are estimated and subject to change without notice.

Defective/Damaged/Missing Product Policy

Please inspect your order within 3 business days to insure proper items, quantities, and to be sure all material is free of defects. If you have received a product that you feel is possibly defective/damaged or is missing parts you must contact MWE NA within 3 business days of arrival and a case will be opened for you. Failure to provide notice within 3 days constitutes waiver.

NOTE: In the event a product is damaged by others or improperly installed, MWE NA is not responsible for any damage to the product or surrounding area.

Returns

Please contact MWE NA in writing for a "Return Goods Authorization" (RGA). US stocked goods are only credited if a customer has been issued an RGA and the goods are received in saleable condition. Once the goods are received, MWE NA will issue a credit memo, which can be applied to your next payment. Credits are only given via account credit. If the items are not returned within 14 days, the RGA is voided. Custom special-order products, including custom finished products, are not returnable. All approved returns are subject to a 20% restocking fee.

Merchandise returned must meet the following criteria upon inspection: original packaging, all parts, pieces & instruction manuals. If during inspection it is noted that an item has been installed no credit will be issued.

MWE, NA is not responsible for shipping charges on returns.

2 Year Limited Warranty

MWE, N.A. Corporation ("Seller") warrants that the Products purchased from Seller be free from defects in material and workmanship for a period of two (2) years from date of shipment.

Seller's liability under this warranty is expressly limited to repairing or replacing, at Seller's option, any Product that, in Seller's sole judgment, does not meet the warranty set forth above. SELLER MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. Seller's liability under this warranty shall not include any transportation charges or cost of installation, replacement, field repair, or other charges related to returning Products to Seller, or any liability for direct, indirect, or consequential damage or delay. Products or parts for which a warranty claim is made are to be returned transportation prepaid to Seller. Any improper use, operation beyond intended usage, substitution of parts not approved by Seller, or any alteration or repair by parties other than Seller that Seller's sole judgment affects the Product materially and adversely shall void this warranty. NO EMPLOYEE OR REPRESENTATIVE OF SELLER OR ANY OTHER PARTY SHALL BE AUTHORIZED TO CHANGE WARRANTY IN ANY WAY OR GRANT OTHER WARRANTY UNLESS SUCH CHANGE IS MADE IN WRITING AND SIGNED BY AN OFFICER OF SELLER AT ITS HOME OFFICE. SELLER'S LIABILITY WILL IN NO EVENT BE GREATER IN AMOUNT THAN THE PURCHASE PRICE OF THE RETURNED PRODUCTS. SELLER SHALL HAVE NO LIABILITY TO ANY PERSON UNDER ANY CIRCUMSTANCE FOR SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES.

