


Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.




ESG  
Tempered Glass

Please adjust wheels by  
sliding block +/- 2.0 mm  
max. door weight 155 Kg  
weight 342 Lbs.

**MWE wheel assemblies are suitable for all US standard door thicknesses!**

Specify door thickness on purchase order.



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16" Glass	3/8" Glass	1/2" Glass
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/16"	A	1"	1 1/8"	1 3/16"

# Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT

**MWE**<sup>®</sup>  
NORTH AMERICA

Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.


Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



MWE wheel assemblies are suitable for all US standard door thicknesses!

Specify door thickness on purchase order.

**Glass Prep**



door width	dimension	Glass		
		10mm	12mm	
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	Glass		
		3/8"	1"	1 1/8"
0 - 19 11/16"	A	7/8"	1"	1 1/16"
19 3/4" - 47 1/4"	A	15/16"	1"	1 1/8"
47 5/16" - 98 7/6"	A	1"	1 1/8"	1 3/16"

**Terra M ST.1062.TM**

Date Prepared: July 2018


Prepared By: CDA | JRT



Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.




ESG  
Tempered Glass  
Please adjust wheels by  
sliding block +/- 2.0 mm  
max. door weight 155 Kg  
weight 342 Lbs.

MWE wheel assemblies are  
suitable for all US standard  
door thicknesses!

Specify door thickness on purchase  
order.

Glass Prep



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16\" Glass	3/8\" Glass	1/2\" Glass
0 - 19 11/16\"	A	7/8\"	1\"	1 1/16\"
19 3/4\" - 47 1/4\"	A	15/16\"	1\"	1 1/8\"
47 5/16\" - 98 7/16\"	A	1\"	1 1/8\"	1 3/16\"

# Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT



Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



MWE wheel assemblies are suitable for all US standard door thicknesses!

Specify door thickness on purchase order.

# Terra M ST.1062.TM

Date Prepared: July 2018


Prepared By: CDA | JRT



Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)


Technical drawings are subject to change without notice.  
All millimeter dimensions are exact and supersede inch conversions.

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



ESG  
Tempered Glass  
Please adjust wheels by  
sliding block +/- 2.0 mm  
max. door weight 155 Kg  
weight 342 Lbs.

Glass Prep



door width	dimension	8mm Glass	10mm Glass	12mm Glass
0 - 500mm	A	23mm	25mm	27mm
501 - 1200mm	A	24mm	26mm	28mm
1201 - 2500mm	A	26mm	28mm	30mm

door width	dimension	5/16\" Glass	3/8\" Glass	1/2\" Glass
0 - 19 11/16\"	A	7/8\"	1\"	1 1/16\"
19 3/4\" - 47 1/4\"	A	15/16\"	1\"	1 1/8\"
47 5/16\" - 98 7/16\"	A	1\"	1 1/8\"	1 3/16\"

# Terra M ST.1062.TM

Date Prepared: July 2018

Prepared By: CDA | JRT



Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)